Lyra 1.6 Designer Series Elongated, Two-Piece, Standard Height, 12" Right-Hand Flush with Fluidmaster 400A Ballcock

Product Specifications



Features

- · Grade A Vitreous China
- Standard Height of 15-1/2"
- 2" Fully Glazed Trapway
- · Siphon Jet Action Flushing
- Low Consumption of 1.6 GPF
- Tanks Equipped with FluidmasterTM 400A Ballcock
- 12" Rough-In
- · Color Matched Tank Lever
- Available in White Only
- Mainline Toilet Seat Sold Separately


Certifications

- IAPMO cUPC
- ASME A112.19.2
- 800g MaP Rating















To Sul	bmit	Bowl/Tank	A	В	С	D	E	F	G	Н	I
		MLS10010 MLS10019	29-1/4"	29-5/8"	12"	17"	15-1/2"	1/2"	5/1/2"	18-1/2"	14-1/2"



Lynx 1.6 Elongated, Two-Piece, Standard Height, 12" Right-Hand Flush

MAINLINE*

Product Specifications


Features


- Grade A Vitreous China
- Standard Height of 15-1/2"
- 2" Fully Glazed Trapway
- Siphon Jet Action Flushing
- Low Water Consumption of 1.6 GPF
- Color Matched Tank Lever
- Available in White Only
- 12" Rough-In
- · Mainline Toilet Seat Sold Separately


Certifications

- IAPMO UPC
- ASME A112.19.2
- 800 MaP Rating















Bowl	Tank	Α	В	С	D	Е	F	G	н	I
MLS10010	MLS10013	29-3/8"	31"	12"	18-1/4"	15-1/2"	1/2"	5-1/2"	18-1/2"	14-1/2"



Lynx 1.6 Elongated, Two-Piece, Standard Height, 10" Left-Hand Flush

MAINLINE*

Product Specifications


Features


- · Grade A Vitreous China
- Standard Height of 15-1/2"
- 2" Fully Glazed Trapway
- · Siphon Jet Action Flushing
- Low Water Consumption of 1.6 GPF
- Color Matched Tank Lever
- Available in White Only
- 10" Rough-In
- Mainline Toilet Seat Sold Separately


Certifications

- IAPMO UPC
- ASME A112.19.2
- 800g MaP Rating















Bowl	Tank	Α	В	С	D	E	F	G	Н	1
MLS10010	MLS10014	28"	30-1/3"	10"	19-1/4"	15-1/2"	1/2'	5-1/2"	18-1/2"	14-1/2"



Lyra 1.6 Designer Series Elongated, Two-Piece, Standard Height, 12" Left-Hand Flush with Fluid Master 400A Ballcock

Product Specifications



Features

- · Grade A Vitreous China
- Standard Height of 15-1/2"
- 2" Fully Glazed Trapway
- · Siphon Jet Action Flushing
- Low Consumption of 1.6 GPF
- Tanks Equipped with Fluidmaster™ 400A Ballcock
- 12" Rough-In
- Color Matched Tank Lever
- · Available in White or Biscuit
- · Mainline Toilet Seat Sold Separately

Certifications


- IAPMO UPC
- ASME A112.19.2
- 800g MaP Rating







MLS036-029

MLS017-010











To Submit	Bowl/Tank	Α	В	С	D	Е	F	G	Н	1
	MLS10010 MLS10017	29-1/4"	29-5/8"	12"	17"	15-½"	1/,"	5/1/2"	18-1/2"	14-1/2"
	MLS10029 MLS10036									



Lynx 1.6 Elongated, Two-Piece, Standard Height, 12" Left-Hand Flush

Product Specifications



Features

- · Grade A Vitreous China
- Standard Height of 15-1/2"
- 2" Fully Glazed Trapway
- Siphon Jet Action Flushing
- Low Water Consumption of 1.6 GPF
- · Color Matched Tank Lever
- · Available in White or Biscuit
- 12" Rough-In
- · Mainline Toilet Seat Sold Separately


Certifications


- IAPMO UPC
- ASME A112.19.2
- 800g MaP Rating




MLS031-029

MLS012-010













Bowl	Tank	Α	В	С	D	E	F	G	н	1
MLS10010	MLS10012	29-3/8"	31"	12"	18-1/4"	15-1/2"	1/2"	5-1/2"	18-1/2"	14-1/2"
MLS10031	MLS10029	23-3/6	21							



Orion 1.1/1.6 Dual Flush 12" Elongated, Standard Height, Toilet Combination, Left-Hand Flush

Product Specifications




Features


- Grade A Vitreous China
- Elongated, Standard Height of 15-1/2"
- 2" Fully Glazed Trapway
- · Siphon Jet Action Flushing
- Low Consumption of 1.1/1.6 GPF
- 12" Rough-In
- Top Flush Activator in Chrome
- Available in White Only
- Mainline Toilet Seat Sold Separately


Certifications

- IAPMO cUPC
- US EPA WaterSense
- ASME A112.19.2















To Submit	Bowl	Tank	Α	В	С	D	E	F	G	н	1
	MLS10010	MLS10421	29-1/3"	31-1/3""	12"	18"	15-1/2"	1/2"	5-1/2"	18-1/2"	25""

